

Analytical Report

September 10, 2020

Project No: King Palm
PO No: PO-82520
Client Sample ID: KP-82520

EMA Sample No: 20082819-01
Date Received: 8/28/2020
Sample Matrix: Dried Palm Leaf Rolls

Analytical Method: FDA Import GC/MS/MS A-Chlorf
Extraction Method: FDA 302
Date Extracted: 9/4/2020
Date Completed: 9/9/2020

Analyte	Amount ppm	RL ppm	Tolerance ppm
Acephate	ND	0.050	
Acetamiprid	ND	0.050	
Acetochlor	ND	0.050	
Acrinathrin	ND	0.100	
Alachlor	ND	0.050	
Aldrin	ND	0.050	
Allethrin	ND	0.150	
Allidochlor	ND	0.150	
Ametryn	ND	0.050	
Aminocarb	ND	0.050	
Amitraz	ND	0.050	
Anilazine	ND	0.250	
Anthraquinone	ND	0.050	
Aspon (Tetrapropyl Thiodiphosphate)	ND	0.050	
Atrazine	ND	0.050	
Azinphos - Ethyl	ND	0.050	
Azinphos - Methyl	ND	0.050	
Azoxystrobin	ND	0.050	
Benalaxyl	ND	0.050	
Bendiocarb	ND	0.050	
Benfluralin	ND	0.050	
Benoxacor	ND	0.100	
BHC - alpha (Benzene Hexachloride)	ND	0.050	
BHC - beta	ND	0.050	
BHC - delta	ND	0.050	
BHC - Gamma (Lindane, gamma HCH)	ND	0.050	
Bifenox	ND	0.250	
Bifenthrin	ND	0.050	
Bioresmethrin (Resmethrin - trans)	ND	0.100	
Biphenyl	ND	0.100	
Bitertanol Total	ND	0.050	
Boscalid	ND	0.050	
Bromacil	ND	0.050	
Bromfenvinphos	ND	0.050	
Bromfenvinphos - Methyl	ND	0.050	
Bromophos	ND	0.050	
Bromophos - Ethyl	ND	0.050	
Bromopropylate	ND	0.100	
Bupirimate	ND	0.050	
Buprofezin	ND	0.050	
Butachlor	ND	0.050	
Butralin	ND	0.050	
Butylate	ND	0.050	
Cadusafos	ND	0.050	
Captafol	ND	0.250	
Captan	ND	0.250	
Carbaryl	ND	0.050	
Carbofuran	ND	0.050	
Carbophenothion	ND	0.050	
Carbophenothion - Methyl (Methyl Trithion)	ND	0.050	
Carbosulfan	ND	0.250	
Carboxin	ND	0.050	
Carfentrazone - Ethyl	ND	0.050	
Chlorbenside	ND	0.050	
Chlordane - cis (alpha)	ND	0.050	
Chlordane - oxy	ND	0.050	
Chlordane - trans (gamma)	ND	0.050	
Chlordimeform	ND	0.050	
Chlorfenapyr	ND	0.050	
Chlorfenson	ND	0.050	
Chlorfenvinphos	ND	0.050	

Comments:

If the amount column displays: OC - See OC Screen, Pyr - See Pyrethroid Screen, ON - See ON Screen, OP - See OP Screen, CB - See CB screen, GC/MS - See GC/MS/MS Screen, LC/MS - See LC/MS/MS Screen
ND = None Detected at the Reporting Limit (RL)
Tolerance data taken from 40 CFR § 180 and/or MRLdatabase.com. Environmental Micro Analysis, Inc. makes no claims as to the accuracy of tolerance numbers.
Excess sample and extracts are stored for a minimum of 30 days from the date of analytical report. Special storage arrangements possible.
Results relate only to items tested.
Samples are analyzed as received.
Reports should not be reproduced, except in full, without written consent by Environmental Micro Analysis, Inc.
To see the scope of our ISO 17025 accreditation go to <http://emalab.com/ISO17025.pdf>

Analytical Report

September 10, 2020

Project No: King Palm
PO No: PO-82520
Client Sample ID: KP-82520

EMA Sample No: 20082819-01
Date Received: 8/28/2020
Sample Matrix: Dried Palm Leaf Rolls

Analytical Method: FDA Import GC/MS/MS Chlorn-
Extraction Method: FDA 302
Date Extracted: 9/4/2020
Date Completed: 9/9/2020

Analyte	Amount ppm	RL ppm	Tolerance ppm
Chlornitrofen	ND	0.050	
Chlorobenzilate	ND	0.050	
Chloroneb	ND	0.050	
Chlorothalonil	ND	0.100	
Chlorpropham	ND	0.500	
Chlorpyrifos	ND	0.050	
Chlorpyrifos - Methyl	ND	0.050	
Chlorthal - Dimethyl (Dacthal, DCPA)	ND	0.050	
Chlorthion	ND	0.050	
Chlorthiophos	ND	0.050	
Chlozolinate	ND	0.050	
Clomazone	ND	0.050	
Coumaphos	ND	0.050	
Crotoxyphos	ND	0.050	
Cyanazine	ND	0.150	
Cyanofenphos	ND	0.050	
Cyanophos	ND	0.050	
Cycloate	ND	0.050	
Cycluron	ND	0.050	
Cyfluthrin Total	ND	0.050	
Cyhalothrin Total	ND	0.050	
Cymiazole	ND	0.050	
Cypermethrin Total	ND	0.050	
Cyproconazole	ND	0.050	
Cyprodinil	ND	0.050	
DDD-o,p'	ND	0.050	
DDD-p,p'	ND	0.050	
DDE-o,p'	ND	0.050	
DDE-p,p'	ND	0.050	
DDT-o,p'	ND	0.050	
DDT-p,p'	ND	0.050	
DEF (Tribufos)	ND	0.050	
Deltamethrin	ND	0.100	
Demeton-S-Methyl	ND	0.150	
Desmedipham	ND	0.500	
Desmetryn	ND	0.050	
Diallate Total	ND	0.050	
Diazinon	ND	0.050	
Diazinon-oxon (Diazoxon)	ND	0.050	
Dichlofenthion	ND	0.050	
Dichlofluanid	ND	0.250	
Dichloroaniline, 3,4'-	ND	0.050	
Dichlorobenzonitrile, 2,6- (Dichlobenil)	ND	0.100	
Dichlorobenzophenone, 4,4'-	ND	0.050	
Dichlorvos	ND	0.100	
Diclofop - Methyl	ND	0.050	
Dicloran (Dichloran)	ND	0.050	
Dicofol	ND	0.100	
Dicrotofos (Dicrotophos)	ND	0.050	
Dieldrin	ND	0.100	
Diethofencarb	ND	0.050	
Difenoconazole Total	ND	0.050	
Dimethachlor	ND	0.050	
Dimethoate	ND	0.050	
Dimethomorph Total	ND	0.050	
Diniconazole	ND	0.050	
Dinitramine	ND	0.150	
Dioxacarb	ND	0.050	
Dioxathion	ND	0.100	
Diphenamid	ND	0.050	
Diphenylamine	ND	0.050	

Comments:

If the amount column displays: OC - See OC Screen, Pyr - See Pyrethroid Screen, ON - See ON Screen, OP - See OP Screen, CB - See CB screen, GC/MS - See GC/MS/MS Screen, LC/MS - See LC/MS/MS Screen
ND = None Detected at the Reporting Limit (RL)
Tolerance data taken from 40 CFR § 180 and/or MRLdatabase.com. Environmental Micro Analysis, Inc. makes no claims as to the accuracy of tolerance numbers.
Excess sample and extracts are stored for a minimum of 30 days from the date of analytical report. Special storage arrangements possible.
Results relate only to items tested.
Samples are analyzed as received.
Reports should not be reproduced, except in full, without written consent by Environmental Micro Analysis, Inc.
To see the scope of our ISO 17025 accreditation go to <http://emalab.com/ISO17025.pdf>

Analytical Report

September 10, 2020

Project No: King Palm
PO No: PO-82520
Client Sample ID: KP-82520

EMA Sample No: 20082819-01
Date Received: 8/28/2020
Sample Matrix: Dried Palm Leaf Rolls

Analytical Method: FDA Import GC/MS/MS Dipn-Fo
Extraction Method: FDA 302
Date Extracted: 9/4/2020
Date Completed: 9/9/2020

Comments:

If the amount column displays: OC - See OC Screen, Pyr - See Pyrethroid Screen, ON - See ON Screen, OP - See OP Screen, CB - See CB screen, GC/MS - See GC/MS/MS Screen, LC/MS - See LC/MS/MS Screen
ND = None Detected at the Reporting Limit (RL)
Tolerance data taken from 40 CFR § 180 and/or MRLdatabase.com. Environmental Micro Analysis, Inc. makes no claims as to the accuracy of tolerance numbers.
Excess sample and extracts are stored for a minimum of 30 days from the date of analytical report. Special storage arrangements possible.
Results relate only to items tested.
Samples are analyzed as received.
Reports should not be reproduced, except in full, without written consent by Environmental Micro Analysis, Inc.
To see the scope of our ISO 17025 accreditation go to <http://emalab.com/ISO17025.pdf>

Analyte	Amount ppm	RL ppm	Tolerance ppm
DIPN (Diisopropyl naphthalene, 2,6-)	ND	0.050	
Disulfoton	ND	0.050	
Disulfoton Sulfone	ND	0.050	
Edifenphos	ND	0.050	
Endosulfan Ether	ND	0.050	
Endosulfan I (alpha Isomer)	ND	0.050	
Endosulfan II (beta Isomer)	ND	0.050	
Endosulfan Sulfate	ND	0.050	
Endrin	ND	0.050	
Endrin Aldehyde	ND	0.100	
Endrin Ketone	ND	0.100	
EPN	ND	0.150	
Epoxiconazole	ND	0.050	
EPTC	ND	0.100	
Etaconazole I	ND	0.050	
Ethalfuralin	ND	0.050	
Ethiofencarb	ND	0.050	
Ethiolate	ND	0.150	
Ethion	ND	0.050	
Ethofumesate	ND	0.050	
Ethoprophos (Ethoprop)	ND	0.050	
Ethoxyquin	ND	0.050	
Ethylan (Perthane)	ND	0.050	
Etofenprox (Ethofenprox)	ND	0.050	
Etridiazole (Terrazole, Echlomezol)	ND	0.050	
Etrimfos	ND	0.050	
Famoxadone	ND	0.050	
Famphur	ND	0.050	
Fenamidone	ND	0.050	
Fenamiphos (Phenamiphos)	ND	0.050	
Fenamiphos Sulfone	ND	0.050	
Fenarimol	ND	0.050	
Fenazaquin	ND	0.050	
Fenbuconazole	ND	0.050	
Fenfuram	ND	0.050	
Fenhexamid	ND	0.100	
Fenitrothion	ND	0.050	
Fenobucarb	ND	0.050	
Fenoxycarb	ND	0.150	
Fenpropathrin	ND	0.050	
Fenpropimorph	ND	0.050	
Fenson	ND	0.050	
Fensulfothion	ND	0.050	
Fenthion	ND	0.050	
Fenvalerate Total	ND	0.050	
Fipronil	ND	0.100	
Fluazifop-butyl	ND	0.050	
Fluchloralin	ND	0.050	
Flucythrinate Total	ND	0.050	
Fludioxonil	ND	0.050	
Flupicolide	ND	0.050	
Fluopyram	ND	0.050	
Fluquinconazole	ND	0.050	
Flurenol - Butyl	ND	0.050	
Fluridone	ND	0.050	
Flusilazole	ND	0.050	
Flutolanil	ND	0.050	
Flutriafol	ND	0.050	
Fluvalinate Total	ND	0.050	
Folpet	ND	0.050	
Fonofos	ND	0.050	

Analytical Report

September 10, 2020

Project No: King Palm
PO No: PO-82520
Client Sample ID: KP-82520

EMA Sample No: 20082819-01
Date Received: 8/28/2020
Sample Matrix: Dried Palm Leaf Rolls

Analytical Method: FDA Import GC/MS/MS Fu-Nitra
Extraction Method: FDA 302
Date Extracted: 9/4/2020
Date Completed: 9/9/2020

Analyte	Amount ppm	RL ppm	Tolerance ppm
Furalaxyl	ND	0.050	
Heptachlor	ND	0.050	
Heptachlor Endo-Epoide (Isomer A)	ND	0.100	
Heptachlor Exo-Epoide (Isomer B)	ND	0.050	
Heptenophos	ND	0.050	
Hexachlorobenzene	ND	0.050	
Hexaconazole	ND	0.050	
Hexazinone	ND	0.050	
Hexythiazox	ND	0.050	
Imazalil	ND	0.050	
Iodofenfos	ND	0.050	
Iprobenfos	ND	0.050	
Iprodione	ND	0.050	
Isazophos	ND	0.050	
Isocarbamid (Isocarbamide)	ND	0.050	
Isocarbophos	ND	0.050	
Isodrin	ND	0.050	
Isofenfos	ND	0.050	
Isoprocarb	ND	0.050	
Isopropalin	ND	0.150	
Isoprothiolane	ND	0.050	
Kresoxim - Mehtyl	ND	0.050	
Lactofen	ND	0.250	
Lenacil	ND	0.050	
Leptophos	ND	0.050	
Linuron	ND	0.050	
Malaoxon	ND	0.050	
Malathion	ND	0.050	
Mecarbam	ND	0.050	
Mepronil	ND	0.050	
Metalaxyl	ND	0.050	
Metaldehyde	ND	0.250	
Metazachlor	ND	0.050	
Methacrifos	ND	0.050	
Methidathion	ND	0.050	
Methiocarb	ND	0.050	
Methoprene	ND	0.250	
Methoprotryne	ND	0.050	
Methoxychlor olefin, 4,4'-	ND	0.050	
Methoxychlor, o,p'	ND	0.050	
Methoxychlor, p,p'-	ND	0.050	
Metobromuron	ND	0.050	
Metolachlor	ND	0.050	
Metolcarb	ND	0.050	
Metribuzin	ND	0.050	
Mevinphos	ND	0.050	
Mexacarbate	ND	0.050	
MGK-264 (Zengxiaoan)	ND	0.050	
Mirex	ND	0.050	
Molinate	ND	0.050	
Monocrotophos	ND	0.050	
Monolinuron	ND	0.050	
Myclobutanil	ND	0.050	
N-(2,4-Dimethylphenyl)formamide	ND	0.050	
Naled	ND	0.150	
Naphthaleneacetamide, 1-	ND	0.050	
Napropamide	ND	0.050	
Nicotine	ND	5.000	
Nitralin	ND	0.250	
Nitrapyrin	ND	0.050	

Comments:

If the amount column displays: OC - See OC Screen, Pyr - See Pyrethroid Screen, ON - See ON Screen, OP - See OP Screen, CB - See CB screen, GC/MS - See GC/MS/MS Screen, LC/MS - See LC/MS/MS Screen
ND = None Detected at the Reporting Limit (RL)
Tolerance data taken from 40 CFR § 180 and/or MRLdatabase.com. Environmental Micro Analysis, Inc. makes no claims as to the accuracy of tolerance numbers.
Excess sample and extracts are stored for a minimum of 30 days from the date of analytical report. Special storage arrangements possible.
Results relate only to items tested.
Samples are analyzed as received.
Reports should not be reproduced, except in full, without written consent by Environmental Micro Analysis, Inc.
To see the scope of our ISO 17025 accreditation go to <http://emalab.com/ISO17025.pdf>

Analytical Report

September 10, 2020

Project No: King Palm
PO No: PO-82520
Client Sample ID: KP-82520

EMA Sample No: 20082819-01
Date Received: 8/28/2020
Sample Matrix: Dried Palm Leaf Rolls

Analytical Method: FDA Import GC/MS/MS Nitro-Pr
Extraction Method: FDA 302
Date Extracted: 9/4/2020
Date Completed: 9/9/2020

Analyte	Amount ppm	RL ppm	Tolerance ppm
Nitrofen	ND	0.050	
Nitrothal - isopropyl	ND	0.050	
Nonachlor, cis-	ND	0.050	
Nonachlor, trans-	ND	0.050	
Noflurazon	ND	0.050	
Nuarimol	ND	0.050	
Omethoate	ND	0.050	
Oxadiazon	ND	0.050	
Oxadixyl	ND	0.050	
Oxyfluorfen	ND	0.050	
Paclobutrazol	ND	0.050	
Paraoxon	ND	0.050	
Paraoxon - Methyl	ND	0.100	
Parathion	ND	0.050	
Parathion - Methyl	ND	0.050	
Pebulate	ND	0.050	
Penconazole	ND	0.050	
Pendimethalin (Penoxaline)	ND	0.050	
Pentachloroaniline	ND	0.050	
Pentachloroanisole	ND	0.050	
Pentachlorobenzene	ND	0.050	
Pentachlorobenzonitrile	ND	0.050	
Pentachlorothioanisole	ND	0.050	
Permethrin Total	ND	0.050	
Phenothrin Total	ND	0.100	
Phenthoate	ND	0.050	
Phenylphenol, 2-	ND	0.050	
Phorate	ND	0.050	
Phorate Sulfone	ND	0.050	
Phorate Sulfoxide	ND	0.250	
Phosalone	ND	0.050	
Phosmet	ND	0.050	
Phosmet Oxon	ND	0.050	
Phosphamidon I	ND	0.050	
Phosphamidon II	ND	0.050	
Piperonyl Butoxide	ND	0.050	
Pirimicarb	ND	0.050	
Pirimiphos - Methyl	ND	0.050	
Prallethrin	ND	2.500	
Pretilachlor	ND	0.050	
Prochloraz	ND	0.250	
Procymidone	ND	0.050	
Prodiamine	ND	0.050	
Profenofos	ND	0.050	
Profluralin	ND	0.150	
Promecarb	ND	0.050	
Prometon	ND	0.050	
Prometryn	ND	0.050	
Pronamide (Propyzamide)	ND	0.050	
Propachlor	ND	0.050	
Propanil	ND	0.050	
Propargite	ND	0.050	
Propazine	ND	0.050	
Propetamphos	ND	0.050	
Propiconazole Total	ND	0.050	
Propisochlor	ND	0.050	
Propoxur	ND	0.050	
Prothiofos	ND	0.050	

Comments:

If the amount column displays: OC - See OC Screen, Pyr - See Pyrethroid Screen, ON - See ON Screen, OP - See OP Screen, CB - See CB screen, GC/MS - See GC/MS/MS Screen, LC/MS - See LC/MS/MS Screen
ND = None Detected at the Reporting Limit (RL)
Tolerance data taken from 40 CFR § 180 and/or MRLdatabase.com. Environmental Micro Analysis, Inc. makes no claims as to the accuracy of tolerance numbers.
Excess sample and extracts are stored for a minimum of 30 days from the date of analytical report. Special storage arrangements possible.
Results relate only to items tested.
Samples are analyzed as received.
Reports should not be reproduced, except in full, without written consent by Environmental Micro Analysis, Inc.
To see the scope of our ISO 17025 accreditation go to <http://emalab.com/ISO17025.pdf>

Analytical Report

September 10, 2020

Project No: King Palm
PO No: PO-82520
Client Sample ID: KP-82520

EMA Sample No: 20082819-01
Date Received: 8/28/2020
Sample Matrix: Dried Palm Leaf Rolls

Analytical Method: FDA Import GC/MS/MS Py-Z
Extraction Method: FDA 302
Date Extracted: 9/4/2020
Date Completed: 9/9/2020

Analyte	Amount ppm	RL ppm	Tolerance ppm
Pyracarbolid	ND	0.050	
Pyraclosfos	ND	0.050	
Pyraclostrobin	ND	0.050	
Pyrazophos	ND	0.050	
Pyridaben	ND	0.050	
Pyridaphenthion	ND	0.050	
PyrifenoX Total	ND	0.100	
Pyrimethanil	ND	0.050	
Pyriproxifen	ND	0.050	
Quinalphos	ND	0.050	
Quinoxifen	ND	0.050	
Quintozene (Pentachloronitrobenzene, PCNB)	ND	0.050	
Resmethrin, cis- (Cismethrin)	ND	0.100	
Ronnel (Fenchlorphos)	ND	0.050	
Sebumeon	ND	0.050	
Simazine	ND	0.050	
Simetryn	ND	0.050	
Spiroxamine Total	ND	0.050	
Sulfallate	ND	0.050	
Sulfotep	ND	0.050	
Sulprofos	ND	0.050	
Tebuconazole	ND	0.050	
Tebufenpyrad	ND	0.050	
Tebupirimfos	ND	0.050	
Tebutam	ND	0.050	
Tebuthiuron	ND	0.050	
Tecnazene (TCNB)	ND	0.050	
Tefluthrin, cis-	ND	0.050	
Terbacil	ND	0.050	
Terbufos	ND	0.050	
Terbumeton	ND	0.050	
Terbutylazine	ND	0.050	
Terbutryn	ND	0.050	
Tetrachloroaniline, 2,3,5,6-	ND	0.050	
Tetrachlorvinphos, E-isomer	ND	0.050	
Tetraconazole	ND	0.050	
Tetradifon	ND	0.050	
Tetrahydrophthalimide, cis-1,2,3,6-	ND	0.050	
Tetramethrin Total	ND	0.050	
Thiometon	ND	0.250	
Thionazin	ND	0.050	
Tolclofos - Methyl	ND	0.050	
Tolyfluanid	ND	0.100	
Transfluthrin	ND	0.050	
Triadimefon	ND	0.050	
Triadimenol	ND	0.050	
Triallate	ND	0.050	
Triazophos	ND	0.050	
Tricyclazole	ND	0.050	
Tridiphane	ND	0.050	
Trifloxystrobin	ND	0.050	
Triflumizole	ND	0.050	
Trifluralin	ND	0.050	
Trimethacarb, 2,3,5-	ND	0.050	
Trimethacarb, 3,4,5-	ND	0.050	
Triticonazole	ND	0.050	
Vernolate	ND	0.050	
Vinclozolin	ND	0.050	
Zoxamide	ND	0.050	

Comments:

If the amount column displays: OC - See OC Screen, Pyr - See Pyrethroid Screen, ON - See ON Screen, OP - See OP Screen, CB - See CB screen, GC/MS - See GC/MS/MS Screen, LC/MS - See LC/MS/MS Screen
ND = None Detected at the Reporting Limit (RL)
Tolerance data taken from 40 CFR § 180 and/or MRLdatabase.com. Environmental Micro Analysis, Inc. makes no claims as to the accuracy of tolerance numbers.
Excess sample and extracts are stored for a minimum of 30 days from the date of analytical report. Special storage arrangements possible.
Results relate only to items tested.
Samples are analyzed as received.
Reports should not be reproduced, except in full, without written consent by Environmental Micro Analysis, Inc.
To see the scope of our ISO 17025 accreditation go to <http://emalab.com/ISO17025.pdf>

Analytical Report

September 10, 2020

Project No: King Palm
PO No: PO-82520
Client Sample ID: KP-82520

EMA Sample No: 20082819-01
Date Received: 8/28/2020
Sample Matrix: Dried Palm Leaf Rolls

Analytical Method: FDA Import LC/MS/MS A-Cu
Extraction Method: FDA 302
Date Extracted: 9/4/2020
Date Completed: 9/9/2020

Analyte	Amount ppm	RL ppm	Tolerance ppm
3-Hydroxycarbofuran	ND	0.010	
Acephate	ND	0.010	
Acetamiprid	ND	0.010	
Acetochlor	ND	0.010	
Acibenzolar-S-methyl	ND	0.010	
Alachlor	ND	0.010	
Alanycarb	ND	0.010	
Aldicarb	ND	0.010	
Aldicarb-sulfone	ND	0.010	
Aldicarb-sulfoxide	ND	0.010	
Ametryn	ND	0.010	
Amicarbazone	ND	0.010	
Aminocarb	ND	0.010	
Aspon	ND	0.010	
Atrazine	ND	0.010	
Avermectin	ND	0.010	
Azinphos-methyl	ND	0.010	
Azoxystrobin	ND	0.010	
BAP(6-benzylaminopurine)	ND	0.010	
Benalaxyl	ND	0.010	
Bendiocarb	ND	0.010	
Benfuracarb	ND	0.010	
Bensulide	ND	0.010	
Benzoximate	ND	0.010	
Bifenazate	ND	0.010	
Bitertanol	ND	0.010	
Boscalid	ND	0.010	
Bromuconazole	ND	0.010	
Bupirimate	ND	0.010	
Buprofezin	ND	0.010	
Butachlor	ND	0.010	
Butafenacil	ND	0.010	
Butocarboxim	ND	0.010	
Butoxycarboxim	ND	0.010	
Carbaryl	ND	0.010	
Carbendazim	ND	0.010	
Carbetamide	ND	0.010	
Carbofuran	ND	0.010	
Carbosulfan	ND	0.010	
Carboxine	ND	0.010	
Carfentrazone-ethyl	ND	0.010	
Chlorantraniliprole	ND	0.010	
Chlordimeform	ND	0.010	
Chlorfenvinphos	ND	0.010	
Chlorfluazuron	ND	0.010	
Chlorimuron-ethyl	ND	0.010	
Chloroxuron	ND	0.010	
Chlorpyrifos	ND	0.010	
Chlorpyrifos-methyl	ND	0.010	
Chlortoluron	ND	0.010	
Clethodim	ND	0.010	
Clofentezine	ND	0.010	
Clothianidin	ND	0.010	
Coumaphos	ND	0.010	
Crotoxypfos	ND	0.010	
Cumyluron	ND	0.010	

Comments:

If the amount column displays: OC - See OC Screen, Pyr - See Pyrethroid Screen, ON - See ON Screen, OP - See OP Screen, CB - See CB screen, GC/MS - See GC/MS/MS Screen, LC/MS - See LC/MS/MS Screen
ND = None Detected at the Reporting Limit (RL)
Tolerance data taken from 40 CFR § 180 and/or MRLdatabase.com. Environmental Micro Analysis, Inc. makes no claims as to the accuracy of tolerance numbers.
Excess sample and extracts are stored for a minimum of 30 days from the date of analytical report. Special storage arrangements possible.
Results relate only to items tested.
Samples are analyzed as received.
Reports should not be reproduced, except in full, without written consent by Environmental Micro Analysis, Inc.
To see the scope of our ISO 17025 accreditation go to <http://emalab.com/ISO17025.pdf>

Analytical Report

September 10, 2020

Project No: King Palm
PO No: PO-82520
Client Sample ID: KP-82520

EMA Sample No: 20082819-01
Date Received: 8/28/2020
Sample Matrix: Dried Palm Leaf Rolls

Analytical Method: FDA Import LC/MS/MS Cy-Fe
Extraction Method: FDA 302
Date Extracted: 9/4/2020
Date Completed: 9/9/2020

Analyte	Amount ppm	RL ppm	Tolerance ppm
Cyanazine	ND	0.010	
Cyazofamid	ND	0.010	
Cycloxydim	ND	0.010	
Cyfluron	ND	0.010	
Cyflufenamid	ND	0.010	
Cyhexatin	ND	0.010	
Cymoxanil	ND	0.010	
Cyproconazole	ND	0.010	
Cyprodinil	ND	0.010	
Cyromazine	ND	0.010	
Daimuron	ND	0.010	
Diafenthiuron	ND	0.010	
Diazinon	ND	0.010	
Dichlorvos	ND	0.010	
Diclobutrazol	ND	0.010	
Dicrotophos	ND	0.010	
Diethofencarb	ND	0.010	
Difenoconazole	ND	0.010	
Diflubenzuron	ND	0.010	
Dimethenamide	ND	0.010	
Dimethoate	ND	0.010	
Dimethomorph	ND	0.010	
Dimoxystrobin	ND	0.010	
Diniconazole	ND	0.010	
Dinotefuran	ND	0.010	
Dioxacarb	ND	0.010	
Diuron	ND	0.010	
DMST	ND	0.010	
Dodine	ND	0.010	
Doramectin	ND	0.010	
Emamectin	ND	0.010	
EPN	ND	0.010	
Epoxiconazole	ND	0.010	
Eprinomectin	ND	0.010	
Esprocarb	ND	0.010	
Etaconazole	ND	0.010	
Ethidimuron	ND	0.010	
Ethiofencarb	ND	0.010	
Ethiofencarb-sulfoxide	ND	0.010	
Ethion	ND	0.010	
Ethiprole	ND	0.010	
Ethirimol	ND	0.010	
Ethofumesate	ND	0.010	
Ethoprop	ND	0.010	
Etobenzanid	ND	0.010	
Etoxazole	ND	0.010	
Famoxadone	ND	0.010	
Famphur	ND	0.010	
Fenamidone	ND	0.010	
Fenarimol	ND	0.010	
Fenazaquin	ND	0.010	
Fenbuconazole	ND	0.010	
Fenbutatin Oxide	ND	0.010	
Fenhexamid	ND	0.010	
Fenobucarb	ND	0.010	
Fenoxycarb	ND	0.010	
Fenpropimorph	ND	0.010	
Fenpyroximate	ND	0.010	
Fensulfothion	ND	0.010	
Fenuron	ND	0.010	

Comments:

If the amount column displays: OC - See OC Screen, Pyr - See Pyrethroid Screen, ON - See ON Screen, OP - See OP Screen, CB - See CB screen, GC/MS - See GC/MS/MS Screen, LC/MS - See LC/MS/MS Screen
ND = None Detected at the Reporting Limit (RL)
Tolerance data taken from 40 CFR § 180 and/or MRLdatabase.com. Environmental Micro Analysis, Inc. makes no claims as to the accuracy of tolerance numbers.
Excess sample and extracts are stored for a minimum of 30 days from the date of analytical report. Special storage arrangements possible.
Results relate only to items tested.
Samples are analyzed as received.
Reports should not be reproduced, except in full, without written consent by Environmental Micro Analysis, Inc.
To see the scope of our ISO 17025 accreditation go to <http://emalab.com/ISO17025.pdf>

Analytical Report

September 10, 2020

Project No: King Palm
PO No: PO-82520
Client Sample ID: KP-82520

EMA Sample No: 20082819-01
Date Received: 8/28/2020
Sample Matrix: Dried Palm Leaf Rolls

Analytical Method: FDA Import LC/MS/MS FI-Mep
Extraction Method: FDA 302
Date Extracted: 9/4/2020
Date Completed: 9/9/2020

Analyte	Amount ppm	RL ppm	Tolerance ppm
Flonicamid	ND	0.010	
Fluazifop-butyl	ND	0.010	
Flubendiamide	ND	0.010	
Fludioxonil	ND	0.010	
Flufenacet	ND	0.010	
Flufenoxuron	ND	0.010	
Fluometuron	ND	0.010	
Flupicolide	ND	0.010	
Fluopyram	ND	0.010	
Fluoxastrobin	ND	0.010	
Flupyradifurone	ND	0.010	
Fluquinconazole	ND	0.010	
Fluridone	ND	0.010	
Flusilazole	ND	0.010	
Flutolanil	ND	0.010	
Flutriafof	ND	0.010	
Fluxapyroxad	ND	0.010	
Fomesafen	ND	0.010	
Forchlorfenuron	ND	0.010	
Formetanate	ND	0.010	
Fuberidazole	ND	0.010	
Furalaxyl	ND	0.010	
Halofenozide	ND	0.010	
Hexaconazole	ND	0.010	
Hexaflumuron	ND	0.010	
Hexazinone	ND	0.010	
Hexythiazox	ND	0.010	
Hydramethylnon	ND	0.010	
Imazalil	ND	0.010	
Imibenconazole	ND	0.010	
Imidacloprid	ND	0.010	
Indaziflam	ND	0.010	
Indoxacarb	ND	0.010	
Ipconazole	ND	0.010	
Iprovalicarb	ND	0.010	
Isocarbamid	ND	0.010	
Isfenphos	ND	0.010	
Isoprocarb	ND	0.010	
Isoprothiolane	ND	0.010	
Isoproturon	ND	0.010	
Ivermectin	ND	0.010	
Karbutylate	ND	0.010	
Kresoxim-methyl	ND	0.010	
Lactofen	ND	0.010	
Linuron	ND	0.010	
Lufenuron	ND	0.010	
Malathion	ND	0.010	
Mandipropamid	ND	0.010	
Mefenacet	ND	0.010	
Mepanipyrim	ND	0.010	
Mepronil	ND	0.010	

Comments:

If the amount column displays: OC - See OC Screen, Pyr - See Pyrethroid Screen, ON - See ON Screen, OP - See OP Screen, CB - See CB screen, GC/MS - See GC/MS/MS Screen, LC/MS - See LC/MS/MS Screen
ND = None Detected at the Reporting Limit (RL)
Tolerance data taken from 40 CFR § 180 and/or MRLdatabase.com. Environmental Micro Analysis, Inc. makes no claims as to the accuracy of tolerance numbers.
Excess sample and extracts are stored for a minimum of 30 days from the date of analytical report. Special storage arrangements possible.
Results relate only to items tested.
Samples are analyzed as received.
Reports should not be reproduced, except in full, without written consent by Environmental Micro Analysis, Inc.
To see the scope of our ISO 17025 accreditation go to <http://emalab.com/ISO17025.pdf>

Analytical Report

September 10, 2020

Project No: King Palm
PO No: PO-82520
Client Sample ID: KP-82520

EMA Sample No: 20082819-01
Date Received: 8/28/2020
Sample Matrix: Dried Palm Leaf Rolls

Analytical Method: FDA Import LC/MS/MS Met-Pr
Extraction Method: FDA 302
Date Extracted: 9/4/2020
Date Completed: 9/9/2020

Analyte	Amount ppm	RL ppm	Tolerance ppm
Metaflumizone	ND	0.010	
Metalaxyl & Mefenoxam	ND	0.010	
Metconazole	ND	0.010	
Methamidophos	ND	0.010	
Methfuroxam	ND	0.010	
Methidathion	ND	0.010	
Methiocarb	ND	0.010	
Methomyl	ND	0.010	
Methoprotetryne	ND	0.010	
Methoxyfenozide	ND	0.010	
Metobromuron	ND	0.010	
Metolachlor	ND	0.010	
Metoxuron	ND	0.010	
Metrafenone	ND	0.010	
Metribuzin	ND	0.010	
Mevinphos	ND	0.010	
Mexacarbate	ND	0.010	
Molinate	ND	0.010	
Monocrotophos	ND	0.010	
Monolinuron	ND	0.010	
Moxidectin	ND	0.010	
Myclobutanil	ND	0.010	
Napropamide	ND	0.010	
Neburon	ND	0.010	
Nitenpyram	ND	0.010	
Novaluron	ND	0.010	
Nuarimol	ND	0.010	
Omethoate	ND	0.010	
Oxadixyl	ND	0.010	
Oxamyl	ND	0.010	
Paclobutrazol	ND	0.010	
Penconazole	ND	0.010	
Pencycuron	ND	0.010	
Pendimethalin	ND	0.010	
Penthiopyrad	ND	0.010	
Phorate	ND	0.010	
Phosmet	ND	0.010	
Phoxim	ND	0.010	
Picoxystrobin	ND	0.010	
Piperonyl butoxide	ND	0.010	
Pirimicarb	ND	0.010	
Pirimiphos-methyl	ND	0.010	
Prochloraz	ND	0.010	
Profenofos	ND	0.010	
Promecarb	ND	0.010	
Prometon	ND	0.010	
Prometryn	ND	0.010	
Propachlor	ND	0.010	
Propamocarb	ND	0.010	
Propargite	ND	0.010	
Propazine	ND	0.010	
Propham	ND	0.010	
Propiconazole	ND	0.010	
Propoxur	ND	0.010	
Propyzamide	ND	0.010	
Proquinazid	ND	0.010	

Comments:

If the amount column displays: OC - See OC Screen, Pyr - See Pyrethroid Screen, ON - See ON Screen, OP - See OP Screen, CB - See CB screen, GC/MS - See GC/MS/MS Screen, LC/MS - See LC/MS/MS Screen
ND = None Detected at the Reporting Limit (RL)
Tolerance data taken from 40 CFR § 180 and/or MRLdatabase.com. Environmental Micro Analysis, Inc. makes no claims as to the accuracy of tolerance numbers.
Excess sample and extracts are stored for a minimum of 30 days from the date of analytical report. Special storage arrangements possible.
Results relate only to items tested.
Samples are analyzed as received.
Reports should not be reproduced, except in full, without written consent by Environmental Micro Analysis, Inc.
To see the scope of our ISO 17025 accreditation go to <http://emalab.com/ISO17025.pdf>

Analytical Report

September 10, 2020

Project No: King Palm
PO No: PO-82520
Client Sample ID: KP-82520

EMA Sample No: 20082819-01
Date Received: 8/28/2020
Sample Matrix: Dried Palm Leaf Rolls

Analytical Method: FDA Import LC/MS/MS Py-Z
Extraction Method: FDA 302
Date Extracted: 9/4/2020
Date Completed: 9/9/2020

Analyte	Amount ppm	RL ppm	Tolerance ppm
Pymetrozine	ND	0.010	
Pyracarbolid	ND	0.010	
Pyraclostrobin	ND	0.010	
Pyraflufen-ethyl	ND	0.010	
Pyrethrins	ND	0.010	
Pyridaben	ND	0.010	
Pyridaphenthion	ND	0.010	
Pyrimethanil	ND	0.010	
Pyriproxyfen	ND	0.010	
Quinoxifen	ND	0.010	
Sebuthylazine	ND	0.010	
Secbumeton	ND	0.010	
Sedaxane	ND	0.010	
Sethoxydim	ND	0.010	
Siduron	ND	0.010	
Simazine	ND	0.010	
Simetryn	ND	0.010	
Spinetoram (J+L)	ND	0.010	
Spinosyn (Spinosaad)	ND	0.010	
Spirodiclofen	ND	0.010	
Spiromesifin	ND	0.010	
Spirotetramat	ND	0.010	
Spiroxamine	ND	0.010	
Sulfoxaflo	ND	0.010	
Tebuconazole	ND	0.010	
Tebufenozide	ND	0.010	
Tebufenpyrad	ND	0.010	
Tebupirimfos	ND	0.010	
Tebuthiuron	ND	0.010	
Temephos	ND	0.010	
Tepraloxymdim	ND	0.010	
Terbumeton	ND	0.010	
Terbutryn	ND	0.010	
Tetraconazole	ND	0.010	
Thiabendazole	ND	0.010	
Thiacloprid	ND	0.010	
Thiamethoxam	ND	0.010	
Thidiazuron	ND	0.010	
Thiobencarb	ND	0.010	
Thiofanox	ND	0.010	
Thiophanate-methyl (as Carbendazim)	ND	0.010	
Triadimefon	ND	0.010	
Triadimenol	ND	0.010	
Triazophos	ND	0.010	
Tricyclazole	ND	0.010	
Tridemorph	ND	0.010	
Trifloxystrobin	ND	0.010	
Triflumizole	ND	0.010	
Triflumuron	ND	0.010	
Triticonazole	ND	0.010	
Uniconazole	ND	0.010	
Vamidothion	ND	0.010	
Zoxamide	ND	0.010	

Comments:

If the amount column displays: OC - See OC Screen, Pyr - See Pyrethroid Screen, ON - See ON Screen, OP - See OP Screen, CB - See CB screen, GC/MS - See GC/MS/MS Screen, LC/MS - See LC/MS/MS Screen
ND = None Detected at the Reporting Limit (RL)
Tolerance data taken from 40 CFR § 180 and/or MRLdatabase.com. Environmental Micro Analysis, Inc. makes no claims as to the accuracy of tolerance numbers.
Excess sample and extracts are stored for a minimum of 30 days from the date of analytical report. Special storage arrangements possible.
Results relate only to items tested.
Samples are analyzed as received.
Reports should not be reproduced, except in full, without written consent by Environmental Micro Analysis, Inc.
To see the scope of our ISO 17025 accreditation go to <http://emalab.com/ISO17025.pdf>